






Spare Parts / Ersatzteile / Pièces de recharge / Pezzi di Ricambio / Piezas de requesto /
 Parte de reposição / Reserveonderdelen / Reservdelar / Reservedeler / Varaosat /
 Vraosat / Varahlutir / Ανταλλακτικά / Yedek Parçalar / Náhradní díly / Náhradné diely /
 Nadomestni deli / Резервни части / Запчасти / Części Zapasowe / Piese de schimb
 / Rendelhető alkatrészek / Запасні частини / Reservni delovi / Резервни делови /
 Резервни делови / Atsarginių dalių / Tellitavad varuosad / Rezervju daļi



A6 GEOMETRY
 F 1137 .. F 1138 ..








BORMA

0811 / A 866 424
 (+ A 865 665)
 Made in Germany

Ideal Standard International BVBA
 Chaussée de Wavre, 1789 - box 15
 1160 Bruxelles
 Belgium

www.idealstandardinternational.com





P	bar	MAX. 5 0,5	3 1		Q (3 bar)
T	°C	MAX. 80	65 40		l/min 16

Kits de prolongación

Medida desde el extremo del eje hasta la superficie exterior de la pared (y)	37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Crosor del azulejo (X)	3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU
F1151AA	Standard	F960760NU	F960761NU	F960762NU	
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU

Prolongación / mm	0	10	20	30	40

ESPAÑOL

Kits de extensão

Dimensao da extremidade do fuso à superfície exterior da parede (Y)	37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Espeçura do azulejo (X)	3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU
F1151AA	Standard	F960760NU	F960761NU	F960762NU	
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU

Extensao / mm	0	10	20	30	40

PORTUGUÊS

New Extension Kits - Ny Forlængersæt - Nieuw Verlengsets - Neue Verlängerungssätze - Kits d'extension nouveau - Kit prolunga nuevo - Kits de prolongación nuovo - Kits de extensão novo



Extension kits

Dimension from spindle end to outside surface of wall (Y)	37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Tile thickness (X)	3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU
F1151AA	Standard	F960760NU	F960761NU	F960762NU	
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU

Extension / mm	0	10	20	30	40

ENGLISH

Forlængersæt

Mål fra spindelenden til væggen overflade på ydersiden (Y)	37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Flisetykkelse (X)	3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU
F1151AA	Standard	F960760NU	F960761NU	F960762NU	
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU

Forlængelse i mm	0	10	20	30	40

DANSK

Verlengsets

Afmeting van spileind tot buitenoppervlak wand (Y)		37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Tegeldikte (X)		3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU	
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU	
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU	
F1151AA	Standard	F960760NU	F960761NU	F960762NU		
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	

Verlenging / mm		0	10	20	30	40

NEDERLANDS

Kits d'extension

Distance de l'extrémité de la tige à la surface extérieure de mur (y)		37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Epaisseur de carreau (X)		3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU	
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU	
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU	
F1151AA	Standard	F960760NU	F960761NU	F960762NU		
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	

Extension / mm		0	10	20	30	40

FRANCAIS

Verlängerungssätze

Maß von Spindelende zu äußerer Wandoberfläche (y)		37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Fliesenstärke (X)		3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU	
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU	
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU	
F1151AA	Standard	F960760NU	F960761NU	F960762NU		
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	

Verlängerung / mm		0	10	20	30	40

DEUTSCH

Kit di prolunga

Dimesioni dall'estremità dell'asta alla superficie esterna della parete (y)		37 - 47 mm	27 - 37 mm	17 - 27 mm	7 - 17 mm	0 - 7 mm
Spessore piastrelle (X)		3-13 mm	13-23 mm	24-34 mm	33-43 mm	43-53 mm
F1135AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1136AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1137AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1138AA	Standard	F960128NU	F960129NU	F960130NU	F960131NU	
F1139AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1141AA	Standard	F960807NU	F960260NU	F960262NU	F960263NU	
F1142AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1143AA	Standard	F960048NU	F960049NU	F960452NU	F960051NU	
F1144AA	Standard	F960675NU	F960676NU	F960677NU	F960678NU	
F1145AA	Standard	F960751NU	F960752NU	F960753NU	F960754NU	
F1146AA	Standard	F960767NU	F960768NU	F960769NU	F960770NU	
F1151AA	Standard	F960760NU	F960761NU	F960762NU		
F1152AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	
F1389AA	Standard	F960122NU	F960123NU	F960124NU	F960125NU	

Prolunga / mm		0	10	20	30	40

ITALIANO