



Product certificate K99067/05

Issued 2020-06-15

Replaces K99067/04

Page 1 of 3

Sanitary tapware; Mechanical mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Ideal Standard International NV

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K607 “Sanitary tapware: Mechanical mixers” dated 10-10-2018.

which covers the requirements of

EN 817:2008 “Sanitary tapware; Mechanical mixing valves”.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

289171015

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Ideal Standard International NV
Corporate Village - Gent Building
Da Vincilaan 2
B-1935 ZAVENTEM
Belgium



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Sanitary tapware; Mechanical mixers

Technical specification

The products mentioned below belong to this certificate;

SERIES CERAFLEX

F1756AA	Basin mixer
F1757AA	Basin mixer
F1758AA	Basin mixer
F1759AA	Basin mixer
F1760AA	Basin mixer
F1761AA	Basin mixer
F1763AA	Bath/Shower mixer

SERIES CONNECT AIR

F1751AA	Basin mixer
---------	-------------

SERIES GEOMETRY A4

F1765AA	Kitchen mixer
F1766AA	Kitchen mixer with extractable outlet
F1767AA	Kitchen mixer with extractable outlet

SERIES NIMBUS BLUE

F2959AA	Basin mixer
F2960AA	Basin mixer
F2961AA	Basin mixer
F2962AA	Basin mixer
F2963AA	Kitchen mixer
F2964AA	Kitchen mixer

SERIES JOY

BC851AA	Basin mixer with pop-up outlet
BC852AA	Basin mixer without pop-up outlet
BC853AA	Vessel mixer with pop-up outlet
BC854AA	Vessel mixer without pop-up outlet

Sanitary tapware; Mechanical mixers

REMARK

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Materials and chemicals in the supply of drinking water and warm tap water Regulation) dated 01-07-2017, as specified in clause 4.2 of the Kiwa guideline BRL-K607/05.

APPLICATION AND USE

The mechanical mixers are designed for application within following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

MARKING

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- on the body.

Compulsory specifications:

- name or mark of the manufacturer on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Ideal Standard International NV
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.